

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
2 June 2005 (02.06.2005)

PCT

(10) International Publication Number
WO 2005/048838 A1

(51) International Patent Classification⁷: **A61B 5/0488,**
5/0402

JALDE, Fredrik [SE/SE]; Gustavslundsvägen 173, S-167
51 BROMMA (SE).

(21) International Application Number:
PCT/SE2004/001689

(74) Agent: **ALBIHNS STOCKHOLM AB**; Linnégatan 2,
P.O. Box 5581, S-114 85 Stockholm (SE).

(22) International Filing Date:
18 November 2004 (18.11.2004)

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(25) Filing Language: Swedish

(26) Publication Language: English

(30) Priority Data:
0303062-4 19 November 2003 (19.11.2003) SE

(71) Applicant (*for all designated States except US*): **MA-
QUET CRITICAL CARE AB** [SE/SE]; Röntgenvägen
2, S-171 95 SOLNA (SE).


(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **BLOMBERG, Ur-
ban** [SE/SE]; Schultzvägen 22, S-170 63 SOLNA (SE).

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR FILTERING OUT AN EMG-SIGNAL



(57) Abstract: Method for filtering an EMG-signal out of a raw signal, captured via a number of electrodes, which are designed to be arranged to capture signals from a diaphragm and functionally connected to a respective signal channel, is described. The method results in that a better quality of the EMG-signal is received by a signal-to-noise ratio determining for each signal channel and that a weight factor is arranged for each signal channel depending on the signal-to-noise ratio.



European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*